



## DRITARET E JASHTME TË REJA



## DUKJA



### Pos. W-07

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	400 / 120 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	1 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit:

Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification

Përpjesa

1:50

Nr. i vizatimit

A.29

Vula

Financuar nga:



Projektuar nga:



Projekti Kryesor

Arkitektura

Vizatuar nga:

D.S, L.M

Kontrolluar nga:

Xh.G.

Emri i objektit:

Shkolla Teknike" Skender Luarasi" Suhareke

Vendi:

Suharekë

Data :

Shkurt 2024

Titulli i vizatimit

Skemat e dritareve W-07

Formati i fletës:

A4

Nënshkrimi