


DYERT E JASHTME TË REJA





DUKJA

Pos. D-03

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	100/ 200 cm	Ngjyra :	Bardhe/ RAL 9003
Sasia :	1 copë	Standardet :	DIN EN ISO 9001
Materiali :	Metalike	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85 mm	U-Value (dera) :	Uw≤ 1.2 W/m²K
Izolimi akustik :	EN 14351, EN 717/ Rw=42dB		

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A.33	Vula
Financuar nga:  FKEE FONDI I KOSOVES PER EFICIENCEN E ENERGJESHE KOSOVSKI FOND ZA ENERGETSKU EFISAINOST KOSOVO ENERGY EFFICIENCY FUND	Projekti Kryesor	Arkitektura	Vizatuar nga: KK	Kontrolluar nga:	
Projektuar nga:  ALB-Architect PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING Bregje Ix Kacushit Nr.3, Prishtine, Tel: +383 69 993 993, info@albarchitect.com, www.albarchitect.com	Emri i objektit:	SHFMU "Flamuri i Arberit"	Vendi: Suhareke	Data : Shkurt 2024	
	Titulli i vizatimit	Skemat e dyerve D-03	Formati i fletës: A4	Nënshkrimi	