




DRITARET E JASHTME TË REJA




DUKJA



Pos. W-13

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	370 / 40 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	1 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr. i vizatimit A.36	Vula
Financuar nga:  FKEE <small>FONDI I KOSOVES PER EFICIENCEN E ENERGIKES KOSOVO FUND FOR ENERGY EFFICIENCY</small>	Projekti Kryesor Arkitektura	Vizatuar nga: D.S, L.M	Kontrolluar nga: Xh.G.		
Projektuar nga:  ALB-ARCHITECT <small>DESIGN CONSTRUCTION PROJECT MANAGEMENT TECHNICAL CONSULTING</small>	Emri i objektit: Shkolla "Teknike" Skender Luarasi" Suhareke	Vendi: Suharekë	Data : Shkurt 2024		
	Titulli i vizatimit Skemat e dritareve W-13	Formati i fletës: A4	Nënshkrimi		