


DYERT E JASHTME TË REJA

DUKJA

PLANI



Pos. D-09

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet: 75/ 320 cm	Ngjyra : Bardhe/ RAL 9003
Sasia : 1 copë	Standardet : DIN EN ISO 9001
Materiali : Alumin	Qelqi : 4(Katër Stinor)+16+4Low E
Korniza: Gjerësia≥85 mm	U-Value (dera) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$
Izolimi akustik : EN 14351, EN 717/ $R_w=42\text{dB}$	

Emri i Projektit:

Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification

Përpjesa

1:50

Nr.i vizatimit

A.69

Vula

Financuar nga:



Projektuar nga:



Projekti Kryesor

Arkitektura

Vizatuar nga:

D.S, L.M

Kontrolluar nga:

Xh.G.

Emri i objektit:

Shkolla Teknike" Skender Luarasi" Suhareke

Vendi:

Suharekë

Data :

Shkurt 2024

Titulli i vizatimit

Skemat e dverve D-09

Formati i fletës:

A4

Nënshkrimi