



## DRITARET E JASHTME TË REJA





DUKJA



**Pos. W-08**

*Specifikimi Teknik, Dimensionet, Standardet e kerkuara*

Dimensionet:	490 / 100 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	7 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) :	$U_w \leq 1.2 \text{ W/m}^2\text{K}$
Izolimi akusk :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit:			Përpjesa	Nr. i vizatimit	Vula
Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			1:50	A.29	
Financuar nga:	Projekti kryesor	Arkitektura	Vizatuar nga:	Kontrolluar nga:	
 <b>FKEE</b> FONDI I KOSOVES PER EFICIENCEN E ENERGIKES KOSOVO ENERGY EFFICIENCY FUND	Emri i objektit:	SHFMU "Shkëndija"	B.B	Xh.G.	
Projektuar nga:	Titulli i vizatimit	Skemat e dritareve W-08	Vendi:	Data :	
 <b>ALB-Architect</b> PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING			Suhareke	Shkurt 2024	
			Formati i fletës:	Nënshkrimi	
			A4		