




DRITARET E JASHTME TË REJA



DUKJA



<b>Pos. W-36</b>		<i>Specifikimi Teknik, Dimensionet, Standardet e kerkuara</i>	
Dimensionet:	70 / 80 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	3 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A.59	Vula
<div>Financuar nga: <b>FKEE</b> <small>FONDI I KOSOVES PER EFICIENCEN E ENERGIKES KOSOVO FUND FOR ENERGY EFFICIENCY KOSOVO ENERGY EFFICIENCY FUND</small></div> <div>Projektuar nga: <b>ALB-ARCHITECT</b> <small>DESIGN CONSTRUCTION PROJECT MANAGEMENT TECHNICAL CONSULTING</small> <small>PROJEKTIM NDERTIM MENAXHIM TE PROJEKTT KONSULTIME TEKNIKE</small></div> <div><small>Rruga "Isa Karadoll" 36A, Prishtine   tel:045 51987200 9773   alb.architect@gmail.com   www.albarchitect.com</small></div>	Projekti Kryesor		Arkitektura		
	Emri i objektit:	Shkolla Teknike" Skender Luarasi" Suhareke		Vizatuar nga: D.S, L.M	Kontrolluar nga: Xh.G.
	Titulli i vizatimit	Skemat e dritareve W-36		Vendi: Suharekë	Data : Shkurt 2024
			Formati i fletës: A4	Nënshkrimi	