




DRITARET E JASHTME TË REJA



Pos. W-06		<i>Specifikimi Teknik, Dimensionet, Standardet e kerkuara</i>	
Dimensionet:	395 / 215 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	5 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value _(dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Project name:/Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A.22	Vula
Financuar nga:  FONDI I KOSOVËS PËR EFICIENCË TË ENERJISË KOSOVO FUND FOR ENERGY EFFICIENCY KOSOVO ENERGY EFFICIENCY FUND	Projekti Kryesor Arkitektura		Vizatuar nga: R.H	Kontrolluar nga: XH.G	
	Emri i objektit:	Çerdhja "Gëzimi ynë"	Vendi: Istog	Data : Shkurt 2024	
	Projektuar nga:  PROJEKTIM MENAXHIM I PROJEKTT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING ALB-Architect <small>Prizren, Rr. Kuvendi Nr. 9, Prizren, Tel: 038 439 473 info@albarchitect.com, www.albarchitect.com</small>	Titulli i vizatimit Skemat e dritareve W-06		Formati i fletës: A4	Nënshkrimi