



DRITARET E JASHTME TË REJA



DUKJA



Pos. W-19		<i>Specifikimi Teknik, Dimensionet, Standardet e kerkuara</i>	
Dimensionet:	240 / 100 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	1 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akustik :	EN 14351, EN 717/ Rw=42dB		

Emri i Projektit:		Përpjesa	Nr. i vizatimit	Vula
Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification		1:50	A.42	
Financuar nga:	Projekti Kryesor	Arkitektura	Vizatuar nga:	Kontrolluar nga:
 FKEE <small>FONDI I KOSOVES PER EFICIENCEN E ENERJESHE KOSOVO ENERGY EFFICIENCY FUND</small>	Emri i objektit:	Shkolla Teknike" Skender Luarasi" Suhareke	Vendi:	Data :
Projektuar nga:	Titulli i vizatimit	Skemat e dritareve W-19	Formati i fletës:	Nënshkrimi
 ALB-ARCHITECT <small>DESIGN CONSTRUCTION PROJECT MANAGEMENT TECHNICAL CONSULTING</small>			A4	Shkurt 2024
<small>Rruga "Isa Karadoll" 36A, Prishtine tel.045 018 018/020 977 alb.architect@gmail.com www.albarchitect.com</small>				