




DRITARET E JASHTME TË REJA



DUKJA



Pos. W-05

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	100 / 60 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	7 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Project name:/Emri i Projektit:

Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification

Përpjesa

1:50

Nr.i vizatimit

A.21

Vula

Financuar nga:



FKEE
FOND I KOSOVËS PËR EFICIENCË TË ENERGJISË
KOSOVO ENERGY EFFICIENCY FUND

Projekti Kryesor

Arkitektura

Vizatuar nga:

R.H

Kontrolluar nga:

XH.G

Projektuar nga:



DESIGN
PROJECT MANAGEMENT
TECHNICAL CONSULTING
ALB Architect

Emri i objektit:

Çerdhja "Gëzimi ynë"

Vendi:

Istog

Data :

Shkurt 2024

Titulli i vizatimit

Skemat e dritareve W-05

Formati i fletës:

A4

Nënshkrimi