




DRITARET E JASHTME TË REJA



Pos. W-08

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	80 / 80 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	6 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A.26	Vula
Financuar nga:  FKEE FOND I KOSOVES PËR EFICIENCË TË ENERGJISË KOSOVO FOND ZA ENERGETSKU EFISIENCOST KOSOVO ENERGY EFFICIENCY FUND	Projekti Kryesor	Arkitektura	Vizatuar nga: M.K.	Kontrolluar nga: Xh.G.	
Projektuar nga:  PROJEKTIM MENAXHIM I PROJEKTT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING ALB-Architect Binge Iva Kastrati B.K. & Partners, Tel. +38 202 073, info@albarchitect.com, www.albarchitect.com	Emri i objektit:	SHFMU "Shefki Kuleta"	Vendi: Podujeve	Data : Shkurt 2024	
	Titulli i vizatimit	Skemat e dritareve W-08	Formati i fletës: A4	Nënshkrimi	