




DYERT E JASHTME TË REJA



Pos. D-02

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	360 / 280 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	1 copë	Standardet :	DIN EN ISO 9001
Materiali :	Alumin	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr. i vizatimit A.33	Vula
Financuar nga:  FKEE <small>FONDI I KOSOVËS PËR EFICIENCË TË ENERJISË KOSOVO ENERGY EFFICIENCY FUND</small>	Projekti Kryesor Arkitektura	Vizatuar nga: M.K.	Kontrolluar nga: Xh.G.		
Projektuar nga:  ALB-Architect <small>PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING</small>	Emri i objektit: SHFMU "Shefki Kuleta"	Vendi: Podujeve	Data : Shkurt 2024		
	Titulli i vizatimit Skemat e dymve D-02	Formati i fletës: A4	Nënshkrimi		