




## DRITARET E JASHTME TË REJA



### Pos. W-05

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	120 / 180 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	1 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit:			Përpjesa	Nr.i vizatimit	Vula
Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			1:50	A.24	
Financuar nga:	Projekti Kryesor	Arkitektura	Vizatuar nga:	Kontrolluar nga:	
 <b>FKEE</b> FOND I KOSOVES PER EFICIENCË TE ENERJESHE KOSOVO FOND ZA ENERGETSKU EFISIENCIJST KOSOVO ENERGY EFFICIENCY FUND	Emri i objektit:	IAAP "Isa Boletini"	A.G.	Xh.G.	
Projektuar nga:	Titulli i vizatimit	Skemat e dritareve W-05	Vendi:	Data :	
 <b>ALB Architect</b> PROJEKTIM MENAXHIM I PROJEKTT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING			Podujeve	Shkurt 2024	
			Formati i fletës:	Nënshkrimi	
			A4		