



DYERT E JASHTME TË REJA



DUKJA





PLANI

Pos. D-01

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet: 400/ 315 cm	Ngjyra : Bardhe/ RAL 9003
Sasia : 2 copë	Standardet : DIN EN ISO 9001
Materiali : Alumin	Qelqi :4(Katër Stinor)+16+4Low E
Korniza: Gjerësia≥85 mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$
Izolimi akustik : EN 14351, EN 717/ $R_w=42\text{dB}$	

Project name:/Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A 31	Vula
Financuar nga:  FKEE <small>FONDI I KOSOVËS PËR EFICIENCË TË ENERGJISË KOSOVO ENERGY EFFICIENCY FUND</small>	Projekti Kryesor Arkitektura	Vizatuar nga: L.M	Kontrolluar nga: Xh.G		
Projektuar nga:  ALB Architect <small>PROJEKTIM MENAXHIM I PROJEKTT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING</small>	Emri i objektit: SHFMU "Hamit Sejdiu"	Vendi: Podujeve	Data : Shkurt 2024		
	Titulli i vizatimit Skemat e dymve D-01	Formati i fletës: A4	Nënshkrimi		