



DRITARET E JASHTME TË REJA





DUKJA



Pos. W-04

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	160 / 60 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	1 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Project name:/Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification		Përpjesa 1:50	Nr.i vizatimit A 21	Vula
Financuar nga:  FONDI I KOSOVES PER EFICIENCË TE ENERGIKËSE KOSOVO FUND FOR ENERGY EFFICIENCY KOSOVO ENERGY EFFICIENCY FUND	Projekti Kryesor Arkitektura	Vizatuar nga: L.M	Kontrolluar nga: Xh.G	
Projektuar nga:  PROJEKTIM MENAXHIM I PROJEKTTI KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING ALB Architect Rruga Isuf Kallmeti Nr.9, Prishtine, Tel: 038 441 073, info@albarchitect.com, www.albarchitect.com	Emri i objektit: SHFMU "Hamit Sejdiu"	Vendi: Podujeve	Data : Shkurt 2024	
	Titulli i vizatimit Skemat e dritareve W-04	Formati i fletës: A4	Nënshkrimi	