




DRITARET E JASHTME TË REJA



Pos. W-15

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	145 / 190 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	3 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A.34	Vula
Financuar nga:  FKEE <small>FONDI I KOSOVES PER EFICIENCEN E ENERGJES KOSOVO FUND FOR ENERGY EFFICIENCY KOSOVO ENERGY EFFICIENCY FUND</small>	Projekti Kryesor Arkitektura	Vizatuar nga: A.G.	Kontrolluar nga: Xh.G.		
Projektuar nga:  ALB Architect <small>PROJEKTIM MENAXHIM I PROJEKTT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING</small>	Emri i objektit: IAAP "Isa Boletini"	Vendi: Podujeve	Data : Shkurt 2024		
	Titulli i vizatimit Skemat e dritareve W-15	Formati i fletës: A4	Nënshkrimi		