




DRITARET E JASHTME TË REJA



Pos. W-10

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	95 / 45 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	6 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit:			Përpjesa	Nr. i vizatimit	Vula
Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			1:50	A.28	
Financuar nga:	Projekti Kryesor	Arkitektura	Vizatuar nga:	Kontrolluar nga:	
 FKEE <small>FONDI I KOSOVES PER EFICIENCEN E ENERGJES KOSOVO ENERGY EFFICIENCY FUND</small>			M.K.	Xh.G.	
Projektuar nga:	Emri i objektit:	SHFMU "Shefki Kuleta"	Vendi:	Data :	
 ALB-Architect <small>PROJEKTIM MENAXHIM I PROJEKTT KONSULTIME TEKNIKE</small>			Podujeve	Shkurt 2024	
	Titulli i vizatimit	Skemat e dritareve W-10	Formati i fletës:	Nënshkrimi	
			A4		