


DRITARET E JASHTME TË REJA



Pos. W-02		Specifikimi Teknik, Dimensionet, Standardet e kerkuara	
Dimensionet:	290 / 195 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	6 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $Uw \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk :	EN 14351, EN 717/ $Rw=42\text{dB}$		

Project name:/Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A 19	Vula
Financuar nga:  FONDI I KOSOVES PER EFICIENCEN E ENERGJESHE KOSOVSU FOND ZA ENERGETSKU EFIRAGNOST KOSOVO ENERGY EFFICIENCY FUND			Vizatuar nga: L.M	Kontrolluar nga: Xh.G	
Projektuar nga:  PROJEKTIM MENAXHIM I PROJEKTTI KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING ALB Architect Rruga Isuf Kallmeti Nr.9, Prishtine, Tel: 038 441 073, info@albarchitect.com, www.albarchitect.com			Emri i objektit: SHFMU "Hamit Sejdiu"	Vendi: Podujeve	Data : Shkurt 2024
Titulli i vizatimit Skemat e dritareve W-02			Formati i fletës: A4	Nënshkrimi	