


DRITARET E JASHTME TË REJA



DUKJA



Pos. W-03

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

| | | | |
|-----------------|-------------------------------------|--|----------------------------|
| Dimensionet: | 130 / 130 cm | Ngjyra : | Bardhe / RAL 9003 |
| Sasia : | 8 copë | Standardet : | DIN EN ISO 9001 |
| Materiali : | PVC | Qelqi : | 4(Katër Stinor)+16+4Low E |
| Korniza: | Gjerësia≥85mm | U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$ | |
| Izolimi akusk : | EN 14351, EN 717/ $R_w=42\text{dB}$ | | |

| | | | | | |
|---|---------------------|-------------------------|-------------------|------------------|------|
| Emri i Projektit: | | | Përpjesa | Nr. i vizatimit | Vula |
| Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification | | | 1:50 | A.22 | |
| Financuar nga: | Projekti Kryesor | Arkitektura | Vizatuar nga: | Kontrolluar nga: | |
|  FKEE <small>FONDI I KOSOVES PER EFICIENCEN E ENERGJESHE KOSOVO FUND FOR ENERGY EFFICIENCY KOSOVO ENERGY EFFICIENCY FUND</small> | Emri i objektit: | IAAP "Isa Boletini" | Vendi: | Data : | |
|  ALB Architect <small>PROJEKTIM MENAXHIM I PROJEKTTI KONSULTIME TEKNIKE</small> | Titulli i vizatimit | Skemat e dritareve W-03 | Formati i fletës: | Nënshkrimi | |
| | | | A4 | | |