


DRITARET E JASHTME TË REJA



Pos. W-01

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

| | | | |
|-----------------|-------------------------------------|--|---------------------------|
| Dimensionet: | 385 / 195 cm | Ngjyra : | Bardhe / RAL 9003 |
| Sasia : | 6 copë | Standardet : | DIN EN ISO 9001 |
| Materiali : | PVC | Qelqi : | 4(Katër Stinor)+16+4Low E |
| Korniza: | Gjerësia≥85mm | U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$ | |
| Izolimi akusk : | EN 14351, EN 717/ $R_w=42\text{dB}$ | | |

| | | | | | |
|--|---------------------|-------------------------|-------------------------|--------------------------|------|
| Project name:/Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification | | | Përpjesa 1:50 | Nr.i vizatimit A 18 | Vula |
| <div>Financuar nga:  FONDI I KOSOVES PER EFICIENCË TE ENERJESHE KOSOVO FUND FOR ENERGY EFFICIENCY KOSOVO ENERGY EFFICIENCY FUND</div> <div>Projektuar nga:  PROJEKTIM MENAXHIM I PROJEKTT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING ALB Architect Rruga Isuf Kallmeti Nr.9, Prishtine, Tel: 038 441 072, info@albarchitect.com, www.albarchitect.com</div> | Projekti Kryesor | Arkitektura | Vizatuar nga: L.M | Kontrolluar nga: Xh.G | |
| | Emri i objektit: | SHFMU "Hamit Sejdiu" | Vendi: Podujeve | Data : Shkurt 2024 | |
| | Titulli i vizatimit | Skemat e dritareve W-01 | Formati i fletës: A4 | Nënshkrimi | |