




DRITARET E JASHTME TË REJA



Pos. W-11	<i>Specifikimi Teknik, Dimensionet, Standardet e kerkuara</i>	
Dimensionet: 250 / 200 cm	Ngjyra :	Bardhe / RAL 9003
Sasia : 2 copë	Standardet :	DIN EN ISO 9001
Materiali : PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza: Gjerësia≥85mm	U-Value _(dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk : EN 14351, EN 717/ Rw=42dB		

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr. i vizatimit A.30	Vula
Financuar nga:  FOND I KOSOVËS PËR EFICIENCË TË ENERGISË KOSOVOVI FOND ZA ENERGETSKU EFISASNOST KOSOVO ENERGENCY EFFICIENCY FUND	Projekti Kryesor	Arkitektura	Vizatuar nga: A.G.	Kontrolluar nga: Xh.G.	
Projektuar nga:  PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE ALB-Architect DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING Bregje Idrizaj & Partners, Tel: +381 688 873, info@albarchitect.com, www.albarchitect.com	Emri i objektit: IAAP "Isa Boletini"		Vendi: Podujeve	Data : Shkurt 2024	
	Titulli i vizatimit	Skemat e dritareve W-11	Formati i fletës: A4	Nënshkrimi	