


DRITARET E JASHTME TË REJA



| | | | |
|---|--|---|--|
| Pos. W-09 | | <i>Specifikimi Teknik, Dimensionet, Standardet e kerkuara</i> | |
| Dimensionet: 130 / 120 cm | | Ngjyra : Bardhe / RAL 9003 | |
| Sasia : 1 copë | | Standardet : DIN EN ISO 9001 | |
| Materiali : PVC | | Qelqi : 4(Katër Stinor)+16+4Low E | |
| Korniza: Gjerësia≥85mm | | U-Value <small>(dritare)</small> : Uw≤ 1.2 W/m²K | |
| Izolimi akusk : EN 14351, EN 717/ Rw=42dB | | | |

| | | | | | |
|---|---------------------|-------------------------|-------------------------|----------------------------|------|
| Project name:/Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification | | | Përpjesa 1:50 | Nr.i vizatimit A 26 | Vula |
| Financuar nga:  FKEE <small>FONDI I KOSOVES PER EFICIENCË TE ENERGIKËSE KOSOVO ENERGY EFFICIENCY FUND</small> | Projekti Kryesor | Arkitektura | Vizatuar nga: L.M | Kontrolluar nga: Xh.G | |
| | Emri i objektit: | SHFMU "Hamit Sejdiu" | Vendi: Podujeve | Data : Shkurt 2024 | |
| Projektuar nga:  ALB Architect <small>PROJEKTIM MENAXHIM I PROJEKTT KONSULTIME TEKNIKE</small> | Titulli i vizatimit | Skemat e dritareve W-09 | Formati i fletës: A4 | Nënshkrimi | |