




DRITARET E JASHTME TË REJA



<b>Pos. W-06</b>		<i>Specifikimi Teknik, Dimensionet, Standardet e kerkuara</i>	
Dimensionet:	500 / 180 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	2 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk	: EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification		Përpjesa 1:50	Nr.i vizatimit A.28	Vula
Financuar nga:  <b>FKEE</b> <small>FONDI I KOSOVES PER EFICIENCEN E ENERGJES KOSOVO ENERGY EFFICIENCY FUND</small>	Projekti Kryesor Arkitektura	Vizatuar nga: A.G	Kontrolluar nga: Xh.G.	
Projektuar nga:  <b>ALB Architect</b> <small>PROJEKTIM MENAXHIM I PROJEKTTI KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING</small>	Emri i objektit: SHFMU "Hasan Prishtina"	Vendi: Shtime	Data : Shkurt 2024	
	Titulli i vizatimit Skemat e dritareve W-06	Formati i fletës: A4	Nënshkrimi	