



DRITARET E JASHTME TË REJA



| | | | |
|-------------------|-------------------------------------|---|---------------------------|
| Pos. C' | | <i>Specifikimi Teknik, Dimensionet, Standardet e kerkuara</i> | |
| Dimensionet: | 205 / 75 cm | Ngjyra : | Bardhe / RAL 9003 |
| Sasia : | 11 copë | Standardet : | DIN EN ISO 9001 |
| Materiali : | PVC | Qelqi : | 4(Katër Stinor)+16+4Low E |
| Korniza: | Gjerësia≥85mm | U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$ | |
| Izolimi akustik : | EN 14351, EN 717/ $R_w=42\text{dB}$ | | |

| | | | | | |
|--|---------------------------------|-------------------------|-------------------------|--------------------------|------|
| Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification | | | Përpjesa 1:50 | Nr.i vizatimit A.22 | Vula |
| Financuar nga:  FONDI I KOSOVES PER EFICIENCEN E ENERGJESHE KOSOVSKI FOND ZA ENERGETSKU EFRAJNOST KOSOVO ENERGY EFFICIENCY FUND | Projekti Kryesor Arkitektura | | Vizatuar nga: KK | Kontrolluar nga: Xh.G | |
| | Emri i objektit: | SHMP "Naim Frasheri" | Vendi: Shtime | Data : Shkurt 2024 | |
| | Titulli i vizatimit | Skemat e dritareve W-C' | Formati i fletës: A4 | Nënshkrimi | |