


DRITARET E JASHTME TË REJA



Pos. W-02

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	345 / 210 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	2 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :4(Katër Stinor)	+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification		Përpjesa 1:50	Nr.i vizatimit A.23	Vula
Financuar nga:  FKEE <small>FOND I KOSOVES PER EFICIENCEN E ENERGIKES KOSOVO ENERGY EFFICIENCY FUND</small>	Gjendja ekzistuese Arkitektura	Vizatuar nga: D.M	Kontrolluar nga: Xh.G	
Projektuar nga:  ALB-ARCHITECT <small>DESIGN CONSTRUCTION PROJECT MANAGEMENT TECHNICAL CONSULTING</small> <small>PROJEKTIM NDERTIM MENAXHIM TË PROJEKTT KONSULTIME TEKNIKE</small> <small>Bregu "Isa Kastrioti" 76-1, Prishtine tel:045 018/220 973 alb.architect@gmail.com www.albarchitect.com</small>	Emri i objektit: SHFMU "Shtjefen Gjeqovi"	Vendi: Lipjan	Data : Shkurt 2024	
Titulli i vizatimit Skemat e dritareve W-02		Formati i fletës: A4	Nënshkrimi	