




DRITARET E JASHTME TË REJA



Pos. W-16

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	95 / 210 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	2 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit:		Përpjesa	Nr. i vizatimit	Vula
Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification		1:50	A.35	
Financuar nga:	Gjendja ekzistuese	Vizatuar nga:	Kontrolluar nga:	
 FKEE <small>FONDI I KOSOVES PER EFICIENCEN E ENERGJES KOSOVO FUND FOR ENERGY EFFICIENCY KOSOVO ENERGY EFFICIENCY FUND</small>	Arkitektura	M.K.	Xh.G	
Projektuar nga:	Emri i objektit:	Vendi:	Data :	
 ALB-Architect <small>PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE</small>	SHFMU "Emin Duraku"	Shtime	Shkurt 2024	
	Titulli i vizatimit	Formati i fletës:	Nënshkrimi	
	Skemat e dritareve W-16	A4		