




DRITARET E JASHTME TË REJA



Pos. **W-10**

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	145 / 100 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	3 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit:			Përpjesa	Nr.i vizatimit	Vula
Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			1:50	A.29	
Financuar nga:	 FKEE <small>FONDI I KOSOVES PER EFICIENCË TE ENERJESHE KOSOVO ENERGY EFFICIENCY FUND</small>	Gjendja ekzistuese	Arkitektura	Vizatuar nga:	Kontrolluar nga:
Projektuar nga:		Emri i objektit:	SHFMU "Emin Duraku"	Vendi:	Data :
 <small>PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE</small> ALB-Architect <small>DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING</small>		Titulli i vizatimit	Skemat e dritareve W-10	Formati i fletës:	Nënshkrimi
<small>Rruga Isa Kastrati Nr.9, Prishtinë, Tel: 038 220 973, info@albarchitect.com, www.albarchitect.com</small>			A4		