




DRITARET E JASHTME TË REJA



Pos. J	Specifikimi Teknik, Dimensionet, Standardet e kerkuara	
Dimensionet:	285 / 205 cm	Ngjyra : Bardhe / RAL 9003
Sasia :	4 copë	Standardet : DIN EN ISO 9001
Materiali :	PVC	Qelqi 4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$	

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A.29	Vula
Financuar nga:  FONDI I KOSOVËS PËR EFICIENCË TË ENERJESHË KOSOVO FUND FOR AN ENERGETIC EFFICIENCY KOSOVO ENERGY EFFICIENCY FUND	Projekti Kryesor Arkitektura		Vizatuar nga: KK	Kontrolluar nga: Xh.G	Data : Shkurt 2024
	Emri i objektit:	SHMP "Naim Frasheri"	Vendi: Shtime		
	Projektuar nga:  PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING ALB-Architect Bregje Ix Kallmeti Nr.9, Prishtine, Tel: +381 64 551 993, info@alb-architect.com, www.alb-architect.com	Titulli i vizatimit	Skemat e dritareve W-J	Formati i fletës: A4	