


## DRITARET E JASHTME TË REJA



### Pos. W-07

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

|                 |                                     |  |                            |
|-----------------|-------------------------------------|--|----------------------------|
| Dimensionet:    | 240 / 220 cm                        | Ngjyra :   | Bardhe / RAL 9003          |
| Sasia :         | 1 copë                              | Standardet :   | DIN EN ISO 9001            |
| Materiali :     | PVC                                 | Qelqi :  | 4(Katër Stinor )+16+4Low E |
| Korniza:        | Gjerësia≥85mm                       | U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$ |                            |
| Izolimi akusk : | EN 14351, EN 717/ $R_w=42\text{dB}$ |  |                            |

Emri i Projektit:

Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification

Përpjesa

1:50

Nr.i vizatimit

A.28

Vula

Financuar nga:



Gjendja ekzistuese

Arkitektura

Vizatuar nga:

D.M

Kontrolluar nga:

Xh.G

Projektuar nga:



Emri i objektit:

SHFMU "Shtjefen Gjeqovi"

Vendi:

Lipjan

Data :

Shkurt 2024

Titulli i vizatimit

Skemat e dritareve W-07

Formati i fletës:

A4

Nënshkrimi